

Papers and theses published on airglow measurements from Svalbard (78°N)

- Dyrland, M. E., C. M. Hall, F. J. Mulligan, M. Tsutsumi, and F. Sigernes (2010), Improved estimates for neutral air temperatures at 90 km and 78°N using satellite and meteor radar data, *Radio Sci.*, 45, RS4006, doi:10.1029/2009RS004344.
- Dyrland, M. E., F. J. Mulligan, C. M. Hall, F. Sigernes, M. Tsutsumi, and C. S. Deehr (2010), Response of OH airglow temperatures to neutral air dynamics at 78°N, 16°E during the anomalous 2003–2004 winter, *J. Geophys. Res.*, 115, D07103, doi:10.1029/2009JD012726.
- Dyrland, M. E. (2010), Multi-instrument studies of polar mesopause region temperature and airglow variability, PhD thesis, University Centre in Svalbard/University of Tromsø, ISBN: 978-82-8236-014-2.
- Mulligan, F. J., M. E. Dyrland, F. Sigernes, and C. S. Deehr (2009), Inferring hydroxyl layer peak heights from ground-based measurements of OH(6-2) band radiance at Longyearbyen (78°N, 16°E), *Ann. Geophys.*, 27, 4197-4205.
- Hall, C. M., J. Röttger, K. Kuyeng, M. Tsutsumi, M. Dyrland, and J. L. Chau (2009), Polar mesospheric summer echoes at 78°N, 16°E, 2008: First results of the refurbished sounding system (SOUSY) Svalbard radar, *J. Geophys. Res.*, 114, D11111, doi:10.1029/2008JD011543.
- Dyrland, M. E. and F. Sigernes (2007), An update on the hydroxyl airglow temperature record from the Auroral Station in Adventdalen, Svalbard (1980-2005), *Can. J. Phys.*, 85(2), 143-151.
- Hall, C. M., T. Aso, M. Tsutsumi, J. Höffner, F. Sigernes, and D. A. Holdsworth (2006), Neutral air temperatures at 90 km and 70°N and 78°N, *J. Geophys. Res.*, 111 (D14), 1-8.
- Sigernes, F., N. Lloyd, D. A. Lorentzen, R. Neuber, U.-P. Hoppe, D. Degenstein, N. Shumilov, J. Moen, Y. Gjessing, O. Havnes, A. Skartveit, E. Raustein, J. B. Ørbæk, and C. Deehr (2005), The red-sky enigma over Svalbard in December 2002, *Ann. Geophys.*, 23, 1593-1602.
- Lloyd, N. D., D. A. Degenstein, F. Sigernes, E. J. Llewellyn, and D. A. Lorentzen (2005), The red sky enigma over Svalbard in December 2002: a model using polar stratospheric clouds, *Ann. Geophys.*, 23, 1603-1610, doi:10.5194/angeo-23-1603-2005.

- Hall, C. M., T. Aso, M. Tsutsumi, J. Höffner, and F. Sigernes (2004), Multi-instrument derivation of 90 km temperatures over Svalbard (78°N 16°E), *Radio Sci.*, 39 (6), 1-10.
- Sigernes, F., N. Shumilov, C. S. Deehr, K. P. Nielsen, T. Svenøe, and O. Havnes (2003), The Hydroxyl rotational temperature record from the Auroral Station in Adventdalen, Svalbard (78°N, 15°E), *J. Geophys. Res.*, 108(A9), 1342, doi: 10.1029/2001JA009023.
- Nielsen, K.P., F. Sigernes, E. Raustein, and C. Deehr (2002), The 20-year change of the Svalbard OH-temperatures, *Phys. Chem. Earth*, 27, 555-561.
- Nielsen, K.P. (2001), Measurement and evaluation of OH-airglow spectra over Svalbard, M.S. thesis, University of Bergen, Bergen. ISBN: 8280880550.
- Nielsen, K. P., C. S. Deehr, E. Raustein, Y. Gjessing, and F. Sigernes (2001), Polar OH-airglow temperature variations in the 87/88 winter, *Phys. Chem. Earth*, 26, No. 6, 405-410.
- Nielsen, K. P., J. Röttger, and F. Sigernes (2001), Simultaneous measurements of temperature in the upper mesosphere with an Ebert-Fastie Spectrometer and a VHF meteor radar on Svalbard (78°N, 16°E), *Geophys. Res. Lett.*, 28(5), 943–946, doi:10.1029/2000GL012357.
- Schubert, G., R. L. Walterscheid, J. H. Hecht, and G. G. Sivjee (1990), Temperature gradients at mesopause heights inferred from OH nightglow data, *J. Geophys. Res.*, 95(A11), 19,061–19,067, doi:10.1029/JA095iA11p19061.
- Viereck, R. A., and C. S. Deehr (1989), On the interaction between gravity waves and the OH Meinel (6 - 2) and the O₂ atmospheric (0 - 1) bands in the polar night airglow, *J. Geophys. Res.*, 94 (A5), 5397 - 5404.
- Myrabø, H. K. (1988), Dynamics of the polar mesopause and lower thermosphere region as observed in the night glow emissions, Report, NDRE PUBL-88/1001, ISSN: 0800-4412.
- Myrabø, H. K., and O. E. Harang (1988), Temperatures and tides in the high latitude mesopause region as observed in the OH night airglow emissions, *J. Atmos. Terr. Phys.*, 50 (8), 739-748, ISSN 0021-9169, 10.1016/0021-9169(88)90036-0.
- Viereck, R., Effects of Gravity Waves on the Polar O and OH Airglow (1988), Ph.D. thesis, University of Alaska Fairbanks, Fairbanks.
- Sivjee, G., and R.M. Hamwey (1987), Temperature and chemistry of the polar mesopause OH, *J. Geophys. Res.*, 92 (A5), 4663-4672.

- Sivjee, G., R.L. Walterscheid, J.H. Hecht, R.M. Hamwey, G. Schubert, and A.B. Christensen (1987), Effects of atmospheric disturbances on polar mesopause airglow OH emissions, *J. Geophys. Res.*, 92, 7651.
- Myrabø, H. K., C. Deehr, R. Viereck, and K. Henriksen (1987), Polar mesopause gravity wave activity in the sodium and hydroxyl night airglow, *J. Geophys. Res.*, 92, 2527-2534.
- Myrabø, H.K. (1987), Night airglow O₂ (0-1) atmospheric band emission during the northern polar winter, *Planet. Space Sci.*, 35 (10), 1275-1279.
- Myrabø, H.K. (1986), Winter-season mesopause and lower thermosphere temperatures in the northern polar region, *Planet Space Sci.*, 34, 1023 - 1029.
- Myrabø, H.K., C. Deehr, G. Romick, and K. Henriksen (1986), Mid-winter intensities of the night airglow O₂ (0-1) Atmospheric Band emission at high latitudes *J. Geophys. Res.*, 91 (A2), 1684-1690.
- Walterscheid, R. L., G. G. Sivjee, G. Schubert, and R. M. Hamwey (1986), Large-amplitude semi diurnal temperature variations in the polar mesopause: evidence of a pseudotide, *Nature*, 324, 347 - 349.
- Myrabø, H. K. (1984), Temperature variation at mesopause levels during winter solstice at 78°N, *Planet. Space Sci.*, 32(2), 249.
- Myrabø, H. K., C. Deehr, and B. Lybekk (1984), Polar Cap OH Airglow Rotational Temperature at the Mesopause During a Stratospheric Warming Event, *Planet. Space Sci.*, 32 (7), 853-856.
- Myrabø, H. K., K. Henriksen, G. Romick, and C. Deehr (1984), O₂ (b¹Sg⁺-X³Sg⁻) Atmospheric Band Night Airglow Measurements in the Northern Polar Cap Region, *J. Geophys. Res.*, 89 (A10), 9148-9152.
- Myrabø, H.K., C. Deehr, and G. Sivjee (1983), Large amplitude nightglow OH (8-3) band intensity and rotational temperature variations during a 24-hour period at 78°N, *J. Geophys. Res.*, 33, 9255-9269.